

Duality of Three-Dimensional Length and Duration in Completed Newtonian Mechanics and Electrodynamics

Ralph Gillmann
Independent researcher
Burke, VA, USA
rag2127@nyu.edu

This paper presents a frame of reference system in which length and duration are a duality in three dimensions. With this dual Newtonian mechanics and the Galilean transformations are completed. Maxwellian electrodynamics and the wave equation are completed and shown to be Galilean invariant. A re-examination of the light clock and the Michelson-Morley experiment confirms the Galilean invariance of the speed of light for all inertial observers. Throughout the paper the significance of the difference between independent and dependent variables is highlighted.

Keywords: Multidimensional time, duality of space and time, Newtonian mechanics, Galilean transformations, electrodynamics, Maxwell's equations, wave equation, speed of light, Michelson-Morley experiment

INTRODUCTION

Uniform Motion

Let us begin with some historical background. Galileo gave two definitions of uniform motion. One definition was:

Equal or uniform motion I understand to be that of which the parts run through by the moveable in any equal times whatever are equal to one another. [1, p. 148]

In other words, for uniform motion given two equal time intervals, the distances traversed in those time intervals will be equal. Galileo also defined uniform motion another way:

If a moveable equably carried [latum] with the same speed passes through two spaces, the times of motion will be to one another as the spaces passed through. [1, p. 149]

That is, for uniform motion given two distances ("spaces"), the times of motion for those distances will be proportional. These definitions are based on the Eudoxan proportion:

$$x_m : x_n :: t_m : t_n. \quad (1)$$

with corresponding distance intervals, x_m and x_n , and time intervals, t_m and t_n . Uniform motion can also be expressed as a proportion of rates:

$$x_m : t_m :: x_n : t_n. \quad (2)$$

But such proportions are ambiguous: which one is measured with respect to the other: time or distance? In other words, which variable is independent, and which is dependent?

Galileo's dual definitions result from interchanging the independent and dependent variables. As will be shown these lead to different measurement domains depending on which variable is independent.

Uniformly Accelerated Motion

Next consider how uniformly accelerated motion was described by Galileo:

If a moveable descends from rest in uniformly accelerated motion, the spaces run through in any

times whatever are to each other as the duplicate ratio of their times; that is are as the squares of those times. [1, p. 166]

This is illustrated by Galileo's explanation of a body in free fall [1, p. 221]. *Figure 1* reproduces his diagram in which a body moves uniformly from right to left on the horizontal line *ABCDE*. At *B* it begins to descend and follows the curve *BIFH*, which Galileo shows is a semi-parabola. In his explanation he states:




Figure 1. Galileo's semi-parabola

Accordingly, we see that while the body moves from *B* to *C* with uniform speed, it also falls perpendicularly through the distance *CI*, and at the end of the time-interval *BC* finds itself at the point *I*. [1, p. 221]

Notice the shift of language: *the body moves from B to C* [i.e., a distance], then *the time-interval BC*. Galileo uses a *distance* to measure a *time* interval. That is, the body is observed as either an increasing distance or increasing time. The horizontal uniform motion is independent of the vertical free fall and acts as a reference motion of either distance or time.

At first Galileo considered free fall with respect to the distance of descent but after a false attempt, he related free fall to the time and velocity of descent [2] [3] [4]. Descartes and others defended the first approach but were unable to state it correctly.¹ Below we relate free fall to the *elapsed distance*.

This paper proceeds as follows: In the first part the duality of length and duration² is shown, which leads to a dual Newtonian mechanics. In the second part the Galilean transformations³ are completed, and the invariance of the

¹ See Chap. 9 of [2], Chap. 3 of [3], and Chap. 3 of [4].

² Duration could be called *time* but here time is restricted to its meaning as a scalar parameter.

³ Also known as *Galilei transformations*.

completed equations of Maxwell and the completed wave equation are shown. In the third part the light clock and Michelson-Morley experiment are re-examined.

Others have considered a duality between “space and time”, e.g., [5], or the possibility of three dimensions of time or six dimensional spacetime in the context of relativity theory, at least since the 1970s, e.g., [6] [7] [8] [9]. But they all differ from the approach developed here, which is based on Newtonian mechanics and Maxwellian electrodynamics.

DUALITY DEFINED

Frame of Reference System

Consider these two facts about the measurement of a body in motion: (1) there are two measures of the extent of motion: length and duration; (2) the space of motion is three-dimensional. In the following, these two measures in three dimensions determine two three-dimensional vector spaces, one with a length metric and the other with a duration metric.

Consider an idealized apparatus with two rigid rods, connected but moveable, with one rod moving adjacent to the other in uniform motion at a fixed rate called the *elapse rate*. Call this device a *clock-rod* because it functions as a linear rod and a linear clock.

Call one rod the *length rod* and the adjacent rod the *duration rod*. Each rod moves relative to the other at the elapse rate but in the opposite direction. Figure 2 depicts the duration rod moving relative to the length rod:




Figure 2. Clock-rod

Let many identical copies of the first clock-rod be made. Let the rods be arranged into a cubic lattice so that in principle they can measure any length or duration in any direction.⁴

Let the line between each pair of length and duration rods represent a coordinate line. Three mutually orthogonal clock-rods represent axes of a rectilinear coordinate system for length and duration. The length rods in three dimensions comprise the *length frame*, and the duration rods in three dimensions comprise the *duration frame*.

A system of clock-rods in three dimensions is a *frame of reference system*. The coordinate lines between each length rod and duration rod are a rectilinear coordinate system for measuring lengths and durations in three dimensions of motion.

The three dimensional real vector space \mathbb{R}^3 of length is called *length space*. The three dimensional real vector space \mathbb{R}^3 of duration is called *duration space*. Length space and duration space have the same coordinate lines since

⁴ Other rod shapes and arrangements can be used, e.g., straight and annular rods in a spherical lattice.

their length rods and duration rods are adjacent. Directions in length space and duration space are collinear and opposite.

A vector of length space is the *displacement*, and its magnitude is the *traversal distance*. A vector of duration space is called here the *dischronment*⁵, and its magnitude is called the *traversal time*.

In Figure 3 a body moves from A to A' relative to the length rod, and the length of motion is the difference between A and A' on the length rod scale. During this motion a mark on the duration rod moves from B to B' relative to the length rod. The time of motion is the difference between B (adjacent to A) and B' on the duration rod scale.




Figure 3. Length and time measurement

In Figure 4 a body moves from A to A' relative to the duration rod, and the duration of motion is the difference between A and A' on the duration rod scale. During this motion a mark on the length rod moves from B to B' relative to the duration rod. The distance of motion is the difference between B (adjacent to A) and B' on the length rod scale.




Figure 4. Duration and distance measurement

In this way the measures of length and duration are defined in terms of a reference uniform motion.

Motion

An event is represented by a point on a frame of reference system. The position of an event in length space is its *location* on the length rods. In duration space the position of an event on the duration rods is called here its *chronation*.

The motion of a body is comprised of a continuous series of events ordered with an independent variable, which is a dynamic parameter that underlies a chain of causality.

Events in length space are ordered by the duration of an independent constant-rate motion, which is called *elapsed time*. Examples are a clock-rod or an analogue clock. Length space with elapsed time is called the *time domain*.

Events in duration space are ordered by the length of an independent constant-rate motion, which is called *elapsed*

⁵ I.e., *dis* (away) + *chron* (time) + *ment*.

distance. Examples are a clock-rod, or the arc length swept out by the hand of an analogue clock. Duration space with elapsed distance is called the *distance domain*.

Events for which both time and distance are independent variables are in the *time-distance domain*, which is comprised of the time domain and the distance domain.

An observer at rest relative to the length frame is in the time domain. An observer at rest relative to the duration frame is in the distance domain. An observer at rest relative to the duration frame is in motion relative to an observer at rest relative to the length frame, and *vice versa*.

Since elapsed time order and elapsed distance order are physically independent, there is no conversion between the time domain and the distance domain. The time domain and distance domain form a complete domain for motion.

By construction length and duration are symmetric. Bijective maps from length space to duration space and elapsed time to elapsed distance and *vice versa*, establish a complete duality between the time domain and the distance domain.

Rates of Motion

A rate of change is a ratio with an independent variable in the denominator. For rates of motion the independent variable is either elapsed time in the time domain or elapsed distance in the distance domain. The rates below assume continuous observations, but if observations are discontinuous, use the corresponding differences.

In the following, t is elapsed time, s is elapsed distance, \mathbf{x} is the displacement, and \mathbf{z} is the dischronment.

In Table 1 velocity \mathbf{v} is defined as the time rate of displacement, which is a length space vector. The distance rate of dischronment \mathbf{w} , called here *lenticity*⁶, is a duration space vector.

Table 1. Rates of motion

Time Domain	Distance Domain
Velocity	Lenticity
$\mathbf{v} := \frac{d\mathbf{x}}{dt}$	$\mathbf{w} := \frac{d\mathbf{z}}{ds}$

Since velocity is in the time domain, velocity is a function of the independent variable *time*. Lenticity is in the distance domain and is a function of the independent variable *distance*. Faster motions are indicated by larger velocities and smaller lenticities.

Instantaneous speed is the magnitude of velocity, which over time is the time rate of arc length traversed such as the speed of a journey leg. The magnitude of lenticity,

which over distance is the distance rate of arc duration traversed, is called *pace*⁷.

Motion measured with respect to distance but presented as a speed is a distance rate speed, which is an inverse pace (Table 2). Motion measured with respect to time but presented as a pace is a time rate pace, which is an inverse speed.⁸ The speed of light measured by reflection is an example of distance rate speed.

Table 2. Inverse rates of motion

Distance Domain	Time Domain
Inverse Pace, Distance Rate Speed	Inverse Speed, Time Rate Pace
$u = w^{-1} = \left(\frac{dz}{ds}\right)^{-1}$	$v^{-1} = \left(\frac{dx}{dt}\right)^{-1}$

These inverses must be inverted in order to be added (or subtracted), then inverted again. This is called *harmonic addition*⁹ [10] [11], which is defined as:

$$u_1 \boxplus u_2 := (u_1^{-1} + u_2^{-1})^{-1} \quad (3)$$

with zero replacing any division by zero. Speeds measured over a distance are distance rate speeds and are averaged by their harmonic mean.¹⁰

Table 3. Rates of rates of motion

Time Domain	Distance Domain
Acceleration	Relentation
$\mathbf{a} := \frac{d\mathbf{v}}{dt} = \frac{d^2\mathbf{x}}{dt^2}$	$\mathbf{b} := \frac{d\mathbf{w}}{ds} = \frac{d^2\mathbf{z}}{ds^2}$

The time rate of velocity is the acceleration \mathbf{a} , and the distance rate of lenticity is the vector \mathbf{b} , here called the *relentation*¹¹ (Table 3). Because of the duality of length and duration, acceleration and relentation are also dual to one another.

Other dual quantities can be defined by inverting and interchanging length and duration. Equations of motion in the time domain have dual equations in the distance domain and *vice versa*, as in the following.

DUALITY ELABORATED

Dual Newtonian Mechanics

Scalar properties of bodies measured on a ratio scale¹² such as mass are dual with their inverse ratio. In Table 4 mass m is dual to the *inverse mass*, which is shortened here to *vass* n . The mass-weighted velocity in the time domain is

⁶ I.e., slowness.

⁷ This meaning of *pace* is from racing and traffic flow theory.

⁸ If the function is invertible and differentiable with non-zero derivative, the inverse function theorem applies, and the reciprocal of the derivative equals the derivative of the inverse function.

⁹ Not to be confused with addition of sinusoidal functions. This operation is also known as *parallel addition* or *reciprocal addition*.

¹⁰ Cf. the space mean speed of traffic flow theory.

¹¹ Spanish, slowing.

¹² Including negative ratios, e.g., charge.

the momentum (\mathbf{p}), and the vass-weighted lenticity in the distance domain is called here the *levamentum*¹³ (\mathbf{q}).

Table 4. Weighted rates of motion

Time Domain	Distance Domain
Momentum	Levamentum
$\mathbf{p} := m \frac{d\mathbf{v}}{dt}$	$\mathbf{q} := n \frac{d\mathbf{w}}{ds}$

The interaction of bodies (or a body and its environment) in the time domain is called *force* (\mathbf{F}). In the distance domain an interaction of bodies is called here *release*¹⁴ (\mathbf{R}).

Newton's axioms or laws of motion in the time domain are given with their duals in the distance domain below [12] [13]:

First Time Domain Law: A body remains at rest or in uniform motion unless acted on by a force.

First Distance Domain Law: A body remains at rest or in uniform motion unless acted on by a release.

Newton's first law is a statement of the time domain law of inertia, which corresponds to the distance domain *law of facilia*¹⁵. A body in the time domain resists change, whereas in the distance domain a body remains in the same state unless there is an 'easier' motion. They amount to the same law, a law of inertia-facilia, which is the condition for an *inertial-facial frame of reference system*.

There is no change of velocity or lenticity in an inertial-facial frame of reference system. An inertial-facial frame of reference system moving at a constant velocity or constant lenticity relative to an inertial-facial frame of reference system is also inertial-facial. All of the frame of reference systems considered here are inertial-facial.

Second Time Domain Law: A body impacted by a force moves in such manner that the time rate of change of momentum equals the force.

Second Distance Domain Law: A body impacted by a release moves in such manner that the distance rate of change of levamentum equals the release.

The second laws concern the cause of changes of motion, which are force in the time domain and release in the distance domain (Table 5).

Table 5. Cause of changes of motion

Time Domain	Distance Domain
Force	Release
$\mathbf{F} := \frac{d\mathbf{p}}{dt}$	$\mathbf{R} := \frac{d\mathbf{q}}{ds}$

Third Time Domain Law: If two bodies exert forces on each other, these forces are equal in magnitude and opposite in direction.

Third Distance Domain Law: If two bodies enable releases on each other, these releases are equal in magnitude and opposite in direction.

The third laws undergird the conservation of momentum and levamentum, about which see below.

Gravitation and Levitation Duality

Newton's law of gravitation in the time domain postulated a gravitational force \mathbf{F}_{21} exerted on mass m_2 by mass m_1 as

$$\mathbf{F}_{21} = -G \frac{m_1 m_2}{r_{12}^2} \hat{\mathbf{r}}_{12}$$

where the negative sign indicates an attractive force toward m_2 , the constant of proportionality is G , and $\hat{\mathbf{r}}_{12}$ is a unit vector directed from mass m_1 to mass m_2 . [14]

The gravitational acceleration g for a body with mass m is then

$$g = -G \frac{m}{r^2}.$$

The dual to gravitational force in the distance domain is called here *levitational release* \mathbf{R}_{21} enabled on vass n_2 by vass n_1 as

$$\mathbf{R}_{21} = -L \frac{n_1 n_2}{\rho_{12}^2} \hat{\boldsymbol{\rho}}_{12}$$

where the negative indicates an attractive release toward n_2 , the constant of proportionality is L , and $\hat{\boldsymbol{\rho}}_{12}$ is a unit vector directed from n_1 to n_2 .

The levitational relentation ℓ for a body with vass n is then

$$\ell = -L \frac{n}{\rho^2}.$$

In other words, gravitational force and levitational release are dual explanations of the same phenomenon.

Dual Semi-Parabola

The dual to Galileo's semi-parabola can now be stated.

Figure 1 diagrams the semi-parabola in the time domain:

$$x = x_0 - gt^2$$

with traversal height x , initial location (height) x_0 , acceleration of gravity g , and elapsed time t .

Let the experiment take place in duration space, with an independent distance. This distance is an *elapsed distance* rather than a traversal distance, and the corresponding time is not the elapsed time but the *traversal time* of a uniform vertical motion measuring the time of descent.

The semi-parabola in the distance domain is

$$z = z_0 - \ell s^2$$

with traversal duration z , initial chronation z_0 , relentation of levity ℓ , and elapsed distance s .

Symmetry and Conservation

The length frame transformations form a group known as the Galilei group G . [15] Because of duality the duration frame transformations form an isometric group.

¹³ Latin, alleviation.

¹⁴ Cf. releasing a restraint.

¹⁵ Latin, easy.

The symmetries are: (a) translation symmetry of elapsed time and elapsed distance, and (b) translation symmetry and isotropy of length space and duration space.

Length space rotation is symmetric (isotropic) for three-dimensional length, and duration space rotation is symmetric (isotropic) for three-dimensional duration. As three-dimensional length translation symmetry implies conservation of linear momentum, so three-dimensional duration translation implies conservation of linear momentum.

As three-dimensional length rotation symmetry implies conservation of angular momentum, so three-dimensional duration translation symmetry implies conservation of angular momentum. As elapsed time translations imply energy conservation, so elapsed distance translations imply the conservation of lethargy, the inverse of energy.

Clearly, this can be continued so that there is a dual for all of Newtonian mechanics.

Dual Galilean Transformations

The dual Galilean transformations are between two inertial-facial frame systems in the time-distance domain. The time-distance domain is the time domain and the distance domain together. It consists of two three-dimensional vector spaces and two independent variables, time and distance.

Let the length-space axis \mathbf{x}_1' be moving at velocity \mathbf{v} relative to length-space axis \mathbf{x}_1 (Figure 5). Consider two observers at rest relative to coordinate systems K and K' with K' moving with velocity \mathbf{v} along the x_1 - x_1' axis relative to K .




Figure 5. Two observers in the time domain

Let event P be observed at $\mathbf{x} = (x_1, 0, 0)$ with time t in K and $\mathbf{x}' = (x_1', 0, 0)$ with time t' in K' . The Galilean transformation in the time domain in this configuration is

$$\begin{aligned} \mathbf{x}' &= \mathbf{x} - \mathbf{v}t \\ t' &= t \end{aligned} \quad (4)$$

The universality of elapsed time is a consequence of its independence in the time domain¹⁶. The independence of a time series in the time domain is the source of the impression that elapsed time “flows” of its own accord. [12, p. 408]

Let the duration-space axis \mathbf{z}_1' be moving at lenticity \mathbf{w} relative to duration-space axis \mathbf{z}_1 (Figure 6). Consider two observers at rest relative to coordinate systems S and S'

with S' moving with lenticity \mathbf{w} along the z_1 - z_1' axis relative to S .




Figure 6. Two observers in the distance domain

Let event P be observed at $\mathbf{z} = (z_1, 0, 0)$ with distance s in S and $\mathbf{z}' = (z_1', 0, 0)$ with distance s' in S' . The Galilean transformation in the distance domain in this configuration is

$$\begin{aligned} \mathbf{z}' &= \mathbf{z} - \mathbf{w}s \\ s' &= s \end{aligned} \quad (5)$$

The universality of elapsed distance is a consequence of its independence in the distance domain.

A length vector function $\mathbf{x}(t)$ uses only the time domain transformation, Equation (4). A duration vector function $\mathbf{z}(s)$ uses only the distance domain transformation, Equation (5). A vector function of both length and duration vectors such as $\psi(\mathbf{x}(t), \mathbf{z}(s))$ includes both transformations.

Complete Wave Equation

Consider a wave function $\psi(\mathbf{x}, \mathbf{z})$ in the time-distance domain with displacement \mathbf{x} , dischronment \mathbf{z} , and constant c . The displacement and dischronment are relatively independent.

The complete wave equation in the time-distance domain is defined with vector functions of displacement \mathbf{x} and dischronment \mathbf{z} as:

$$\left(\nabla_{\mathbf{x}} - \frac{1}{c^2} \nabla_{\mathbf{z}}^2 \right) \psi(\mathbf{x}, \mathbf{z}) = 0 \quad (6)$$

with constant of proportionality c^{-2} . The complete electromagnetic field is derived below as an example of a complete wave equation in the time-distance domain.

Complete Electric and Magnetic Fields

The complete electric and magnetic fields are functions of both length and duration in three dimensions: $\mathbf{E} = \mathbf{E}(\mathbf{x}, \mathbf{z})$ and $\mathbf{B} = \mathbf{B}(\mathbf{x}, \mathbf{z})$, cf. [16, pp. 18-1 to 18-4]. Faraday's law and Ampère-Maxwell's law are completed as follows [17]:

$$\nabla_{\mathbf{x}} \times \mathbf{E} = - \left(\frac{\partial B_1}{\partial z_1}, \frac{\partial B_2}{\partial z_2}, \frac{\partial B_3}{\partial z_3} \right) = -\nabla_{\mathbf{z}} \mathbf{B} \quad (7)$$

and

$$c^2 \nabla_{\mathbf{x}} \times \mathbf{B} = \frac{\mathbf{j}}{\epsilon_0} + \left(\frac{\partial E_1}{\partial z_1}, \frac{\partial E_2}{\partial z_2}, \frac{\partial E_3}{\partial z_3} \right) = \frac{\mathbf{j}}{\epsilon_0} + \nabla_{\mathbf{z}} \mathbf{E}. \quad (8)$$

Without a current, Equation (8) becomes [16, pp. 20-7 to 20-14]:

$$c^2 \nabla_{\mathbf{x}} \times \mathbf{B} = \nabla_{\mathbf{z}} \mathbf{E}. \quad (9)$$

¹⁶ There is no need for Newton's first Scholium on absolute time and space (p. 408ff [12]).

Equations (7) and (9) show a duality between the electric and magnetic fields.

Electromagnetic wave

The electromagnetic wave is derived as follows: first take the length curl of Faraday's complete law shown in equation (7):

$$\nabla_{\mathbf{x}} \times (\nabla_{\mathbf{x}} \times \mathbf{E}) = -\nabla_{\mathbf{x}}(\nabla_{\mathbf{x}} \times \mathbf{B}). \quad (10)$$

Now the curl of the curl of any vector can be written as the sum of two terms, one with the divergence and the other the Laplacian:

$$\nabla_{\mathbf{x}} \times (\nabla_{\mathbf{x}} \times \mathbf{E}) = \nabla_{\mathbf{x}}(\nabla_{\mathbf{x}} \cdot \mathbf{E}) - \nabla_{\mathbf{x}}^2 \mathbf{E}.$$

Since in a vacuum the divergence of \mathbf{E} is zero, only the Laplacian term remains. From Equation (9) the duration derivative of $c^2 \nabla_{\mathbf{x}} \times \mathbf{B}$ is the second partial derivative of \mathbf{E} with respect to \mathbf{z} :

$$c^2 \nabla_{\mathbf{z}}(\nabla_{\mathbf{x}} \times \mathbf{B}) = \nabla_{\mathbf{z}}^2 \mathbf{E}.$$

Equation (10) then becomes:

$$\nabla_{\mathbf{x}}^2 = \frac{1}{c^2} \nabla_{\mathbf{z}}^2 \mathbf{E}, \quad (11)$$

which is the complete wave equation. Written out it reads:

$$\frac{\partial^2 \mathbf{E}}{\partial x_1^2} + \frac{\partial^2 \mathbf{E}}{\partial x_2^2} + \frac{\partial^2 \mathbf{E}}{\partial x_3^2} - \frac{1}{c^2} \frac{\partial^2 \mathbf{E}}{\partial z_1^2} + \frac{1}{c^2} \frac{\partial^2 \mathbf{E}}{\partial z_2^2} + \frac{1}{c^2} \frac{\partial^2 \mathbf{E}}{\partial z_3^2} = 0.$$

Thus the complete Maxwell equations show that electromagnetism is a wave.

Invariance of the Wave Equation

The wave function $\psi(\mathbf{x}, \mathbf{z})$ in the time-distance domain is defined above in Equation (6) with displacement \mathbf{x} , and dischronment \mathbf{z} , and constant c . Apply the dual Galilean transformations to show that the wave equation is invariant.

The left hand side of Equation (6) is dependent on length with elapsed time, and the right hand side is dependent on duration with elapsed distance, so both length and duration transformations are needed. Each part of the two-way wave equation is Galilean invariant. [18, pp. 104-105]

Consider a standard configuration (Figure 2) in which motion is parallel to the x_1 - z_1 plane. The Galilean transformations are given by Equations (4) and (5). The x_2 , x_3 , z_2 , and z_3 coordinates are directly seen to be invariant. What remains is the one-dimensional wave equation:

$$\frac{\partial^2 \psi}{\partial x_1^2} = \frac{1}{c^2} \frac{\partial^2 \psi}{\partial z_1^2}.$$

Because

$$\frac{\partial x'_1}{\partial x_1} = 1 \text{ and } \frac{\partial z'_1}{\partial x_1} = 0,$$

the *length* derivative of the time domain transformation is:

$$\frac{\partial \psi}{\partial x_1} = \frac{\partial \psi}{\partial x'_1} \frac{\partial x'_1}{\partial x_1} + \frac{\partial \psi}{\partial z'_1} \frac{\partial z'_1}{\partial x_1} = \frac{\partial \psi}{\partial x'_1}$$

so that

$$\frac{\partial^2 \psi}{\partial x_1^2} = \frac{\partial^2 \psi}{\partial x'^2_1}$$

Similarly because

$$\frac{\partial x'_1}{\partial z_1} = 0 \text{ and } \frac{\partial z'_1}{\partial z_1} = 1,$$

the *duration* derivative of the distance domain transformation is:

$$\frac{\partial \psi}{\partial z_1} = \frac{\partial \psi}{\partial x'_1} \frac{\partial x'_1}{\partial z_1} + \frac{\partial \psi}{\partial z'_1} \frac{\partial z'_1}{\partial z_1} = \frac{\partial \psi}{\partial z'_1}$$

so that

$$\frac{\partial^2 \psi}{\partial z_1^2} = \frac{\partial^2 \psi}{\partial z'^2_1}$$

Thus the two-way wave equation in the moving frame is:

$$\frac{\partial^2 \psi}{\partial \mathbf{x}'^2} = \frac{1}{c^2} \frac{\partial^2 \psi}{\partial \mathbf{z}'^2} \quad (12)$$

The result is that the wave equation is form invariant under the dual Galilean transformations in event space.

CONSEQUENCES OF DUALITY

Light Clock Re-examined

A *light clock* is a thought experiment in which a light beam in a vacuum reflects back and forth between two parallel mirrors, a distance L apart (see *Figure 4* below). When the light beam returns to the first mirror, one period of time passes. [19, pp. 15-9 to 15-11] [20] [21] [22]

Since light moves between mirrors whose length apart is set by the experimenter, the independent variable is *elapsed distance*, and the dependent variable is duration. The rate of motion measured is the mean round-trip pace of light, which is inverted as the harmonic mean round-trip speed c in a vacuum. Although the one-way speed of light is not measured, it can nominally be set to c in the context of a round-trip.¹⁷

Consider three cases of a light clock in *Figure 7*.




Figure 7. Light clock cases

The length between the mirrors is independently set at L , and so is the same for all observers.

Case 1 shows a light clock at rest relative to the observer, with a light beam reflecting longitudinally back and forth between two mirrors. In this frame the round trip distance between the two mirrors is $2L$, and the period of one round trip is

$$T = \frac{2L}{c}. \quad (13)$$

¹⁷ Cf. the *Round-Trip Light Principle* [25]

Case 2 shows an observer moving with lenticity w_{\parallel} longitudinally to the light clock. Apply the Galilean distance domain transformation: $t' = t - w_{\parallel}x$, where x is the longitudinal axis.

Nominally, the duration of the first leg is

$$T_1 = (L/c - Lw_{\parallel}),$$

and the duration of the second leg is

$$T_2 = (L/c + Lw_{\parallel}).$$

The period T of one round trip is:

$$T = (L/c - Lw_{\parallel}) + (L/c + Lw_{\parallel}) = \frac{2L}{c}. \quad (14)$$

Case 3 shows an observer moving with lenticity w_{\perp} transversely to the light clock. In this case there are two components of duration: longitudinal and transverse, which are independent of one another since they are in different dimensions. Transverse motion has no effect on longitudinal motion, so the longitudinal motion is the same as the stationary case above: the total distance is $2L$, the period T of one round trip is again $2L/c$.

Michelson-Morley Experiment Re-examined

The Michelson-Morley experiment, [23] compared the longitudinal and transverse cases of reflected light, expecting to detect an ether wind (Figure 8).




Figure 8. Michelson-Morley apparatus

They explain: "Let sa ... be a ray of light which is partly reflected in ab , and partly transmitted in ac , being returned by the mirrors b and c , along ba and ca . [Then] ba is partly transmitted along ad , and ca is partly reflected along ad . If then the paths ab and ac are equal [distances D], the two rays interfere along ad ."

By rotating the apparatus they expected to detect an ether wind parallel to ba or ca . They calculated the round-trip duration (in the notation here) as

$$T = \frac{L}{c - v} + \frac{L}{c + v}. \quad (15)$$

But since the independent variable is the distance traversed, duration is a *dependent* variable, and the experiment is in the distance domain. Speeds are distance rate speeds, which add by harmonic addition. So the denominators should be:

$$c \boxminus v = (c^{-1} - v^{-1})^{-1}$$

and

$$c \boxplus v = (c^{-1} + v^{-1})^{-1}.$$

The period of a round trip is then:

$$T = \frac{L}{c \boxminus v} + \frac{L}{c \boxplus v} = \frac{2L}{c}. \quad (16)$$

As with a light clock, the round-trip periods would be equal whether or not there was an ether wind, so their null result should have been expected.

The Lorentz Adjustment

Time dilation and length contraction of the Lorentz transformation [19, pp. 15-2 to 15-5] can be seen as an adjustment to the mistaken Michelson-Morley calculation. Expand the mistaken Equation (15) to get

$$T = \frac{2L}{c} \gamma^2 \quad (17)$$

where

$$\gamma^2 = (1 - v^2/c^2)^{-1}.$$

Define variables T' and L' such that

$$T' = \gamma T \text{ and } L' = \frac{L}{\gamma}$$

so that time is longer (i.e., slower) and length is shorter. Then Equation (17) becomes

$$T' = \frac{2L'}{c},$$

which conforms to Equation (16). The Lorentz transformation compensates for the mistake in Equation (15) but doesn't fix it, whereas the correction in Equation (16) avoids the need for an adjustment.

CONCLUSION

Two themes have guided this paper: the significance of the distinction between independent and dependent variables and the duality of length and duration for bodies in motion.

An historical introduction found a duality of length and duration in Galileo's *Two New Sciences*. Led by this, the frame of reference was expanded into a frame of reference system in which length and duration are duals.

Then Newtonian mechanics, Maxwellian electrodynamics, and the Galilean transformations are completed with their duals. The Galilean invariance of the completed Maxwellian electrodynamics and the completed wave equation are shown. A re-examination of the light clock and the Michelson-Morley experiment confirms the Galilean invariance of the round-trip speed of light.

This removes two justifications for the Lorentz transformations [24] and raises the question whether it is needed. Additional research is required to determine to what extent the completed Galilean transformations are sufficient for physics.

REFERENCES

- [1] G. Galilei, *Two New Sciences*, Madison, WI: University of Wisconsin Press, [1638] 1974.
- [2] M. Clagett, *The Science of Mechanics in the Middle Ages*, Madison, WI: University of Wisconsin Press, 1959.
- [3] P. Damerow, G. Freudenthal, P. McLaughlin and J. Renn, *Exploring the Limits of Preclassical Mechanics*, New York: Springer-Verlag, 1992.
- [4] G. Gorham, B. Hill, E. Slowik and C. K. and Waters, Eds., *The Language of Nature: Reassessing the Mathematization of Natural Philosophy in the Seventeenth Century*, Minneapolis: University of Minnesota Press, 2016.
- [5] J. H. Field, "Space-time exchange invariance: Special relativity as a symmetry principle," *Am. J. Phys.*, vol. 69, no. 5, pp. 569-575, May 2001.
- [6] J. Dorling, "The dimensionality of time," *Am. J. Phys.*, vol. 38, pp. 539-540, 1970.
- [7] P. Demers, "Symétrisation de la longueur et du temps dans un espace de Lorentz C^3 en algèbre linéaire, pouvant servir en théorie trichromatique des couleurs," *Can. J. Phys.*, vol. 53, pp. 1687-1688, 1975.
- [8] P. T. Pappas, "Physics in Six Dimensions: An Axiomatic Formulation," *Lettere al Nuovo Cimento*, vol. 22, no. 15, pp. 601-607, 1978.
- [9] P. T. Pappas, "The 'Three-Dimensional Time' Equation," *Lettere al Nuovo Cimento*, vol. 25, no. 14, pp. 429-434, August 1979.
- [10] M. Grossman and R. Katz, *Non-Newtonian Calculus*, Pigeon Cove, MA: Lee Press, 1972, p. 59.
- [11] J.-P. Penot and C. Zălinescu, "Harmonic Sum and Duality," *Journal of Convex Analysis*, vol. 7, no. 1, pp. 95-113, 2000.
- [12] I. Newton, *Mathematical Principles of Natural Philosophy*, Berkeley: University of California Press, [1687] 1999.
- [13] S. T. Thornton and J. B. Marion, *Classical Dynamics of Particles and Systems*, 5th ed., Belmont, CA: Brooks/Cole, 2008.
- [14] S. Alrasheed, *Principles of Mechanics*, Open Access: Springer, 2019.
- [15] J.-M. Lévy-Leblond, "Galilei Group and Galilean Invariance," *Group Theory and its Applications*, vol. II, pp. 221-299, 1971.
- [16] R. Feynman, R. Leighton and M. Sands, *The Feynman Lectures on Physics*, vol. II, Basic Books, [1964] 2010.
- [17] B. K. Robison, "The Wave Equation and Multi-Dimensional Time," *The Waterloo Mathematics Review*, vol. 1, no. 1, pp. 32-42, 2011.
- [18] J. Rohlfs, *Modern Physics from α to Z^0* , New York: Wiley, 1994.
- [19] R. P. Feynman, R. Leighton and M. Sands, *Mainly Mechanics, Radiation, and Heat*, vol. I, New York: Basic Books, [1964] 2010.
- [20] G. N. Lewis and R. C. Tolman, "The Principle of Relativity and Non-Newtonian Mechanics," in *Proceedings of the American Academy of Arts and Sciences*, 1909.
- [21] S. C. Fletcher, "Light Clocks and the Clock Hypothesis," *Foundations of Physics*, vol. 43, pp. 1369-1383, 2013.
- [22] J. West, "A light clock satisfying the clock hypothesis of special relativity," *European Journal of Physics*, vol. 28, no. 4, 2007.
- [23] A. A. Michelson and E. W. Morley, "On the Relative Motion of the Earth and the Luminiferous Ether," *American Journal of Science*, vol. XXXIV, no. 203, pp. 333-345, Nov. 1887.
- [24] O. Darrigol, "The Genesis of the Theory of Relativity," *Séminaire Poincaré*, pp. 1-22, April 2005.
- [25] J. A. Winnie, "Special Relativity Without One-way Velocity Assumptions: Part II," *Philosophy of Science*, vol. 37, no. 2, pp. 223-238, June 1970.